

# HC102 系列金属钥匙扣



HC102 系列金属钥匙扣包含常规的 125KHz, 13.56MHz RFID 卡片, 具体有 TK4100、FM11RF08、S50、FM1208、DESFire EV3 这五款, 广泛应用于企业/校园一卡通、公交储值卡、高速公路收费、停车场、小区管理等。



## 技术参数

产品图片										
	HC102B-1	HC102B-2	HC102B-4	HC102B-6	HC102B-9	HC102GR-1	HC102GR-2	HC102GR-4	HC102GR-6	HC102GR-9
产品型号	FM11RF08	S50	TK4100	FM1208-9	DESFire EV3	FM11RF08	S50	TK4100	FM1208-9	DESFire EV3
芯片型号	0-4cm			0-3cm		0-4cm		0-3cm		
读卡距离	49.2mm × 38mm × 6.9mm ± 0.5mm									
产品尺寸										
材质	SUS304+ABS									
温湿度	-40°C ~ 70°C (-40°F ~ 158°F)									
工作频率	13.56MHz	125KHz		13.56MHz		125KHz		13.56MHz		
内存容量	FM11RF08: 1024×8bit EEPROM, 16 个扇区 S50: 1024×8bit EEPROM, 16 个扇区 TK4100: 无 FM1208-9: 8K×8bit EEPROM DESFire EV3: 2K EEPROM									
写寿命	>100000 次	无		>100000 次		无		>100000 次		
数据保存	>10 年									
保修	1 年									

## 产品尺寸 (单位: mm)

